

Docket No. 217694US2PCT

IN RE APPLICATION OF: Philippe DUPUY

SERIAL NO: 10/031,341

FILED: January 18, 2002

FOR: METHOD FOR OPTICALLY PUMPING A LIGHT-AMPLIFYING MEDIUM AND OPTICAL PUMPING  
MODULE FOR IMPLEMENTING THIS METHOD



COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313

SIR:

Transmitted herewith is an amendment in the above-identified application.

☐ No additional fee is required

☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.

☒ Additional documents filed herewith: **Request for Extension of Time (2 months); Information Disclosure Statement (w/attached Preliminary Examination Report)**

The Fee has been calculated as shown below:


CLAIMS	CLAIMS REMAINING		HIGHEST NUMBER PREVIOUSLY PAID	NO. EXTRA CLAIMS	RATE	CALCULATIONS
TOTAL	20	MINUS	20	0	x \$18 =	\$0.00
INDEPENDENT	2	MINUS	3	0	x \$84 =	\$0.00
		<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+ \$280 =	\$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment			+ \$40 =	\$0.00
		TOTAL				\$0.00

☒ A check in the amount of **\$410.00** is attached.

☒ Please charge any additional Fees for the papers being filed herewith and for which no check is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.

  
\_\_\_\_\_  
Gregory J. Maier

Registration No. 25,599

Robert C. Mattson

Registration No. 42,850



22850

Customer Number 22850  
Tel. (703) 413-3000  
Fax. (703) 413-2220  
(OSMMN 05/03)

REC'D  
JUL 22 2003  
TECHNOLOGY CENTER 2800